



## **Chemicals for Shoes and Leather Goods**

[www.rotachemical.com](http://www.rotachemical.com)



## UPPER

PRODUCT NAME	PRODUCT CODE/COLOUR	PACKING		SPECIFICATION / APPLICATION
<b>MATT FILLER CREAM</b>	F - 3010 NATURAL SF - 3030 BLACK SF - 3040 BROWN SF - 3044 RED BROWN SF - 3045 TAN SF - 3050 DARK BROWN	1 kg	5 kg	It nourishes the leather and fills the gaps. It is spread on all full grain leather types on the shoetree before curing in oven. It penetrates in the leather with the heat and removes wrinkles and gaps. It protects leather and stitches in ironing process. Buffed with low speed soft cotton brush. Gives a natural lively appearance. * Used in waxless brush finishing of antique and crust leathers.
<b>NATURA CREAM</b>	NC - 3310 NATURAL NC - 3330 BLACK NC - 3340 BROWN NC - 3344 RED BROWN NC - 3345 TAN NC - 3350 DARK BROWN	1 kg	5 kg	It is a cream with filling effect. When buffed with low speed (600 cycle/min) brush, it gives a silky shiny appearance.
<b>POLISH CREAM</b>	PC - 3610 NATURAL PC - 3630 BLACK PC - 3640 BROWN PC - 3644 RED BROWN PC - 3645 TAN PC - 3650 DARK BROWN	1 kg	5 kg	Spread in as a thin layer upon flaming. Buffed with low speed brush. Gives a lively, shiny appearance.
<b>EFFECT CREAMS</b>	DF - 594 BROWN DF - 778 DARK BROWN DF - 892 TAN DF - 551 BLACK DF - 604 DARK BLUE DF - 1116 BORDEAUX	1 kg	5 kg	Helps to add color shades and effects to crust leather and leather with finishing.
<b>VEGETAL LEATHER FINISHING</b>	LA - 740 BLACK LA - 744 BROWN	1 kg	5 kg	Used for coloring vegetal leather. Applied with spray gun. Other colours may be produced upon request.
<b>BRILLIANT</b>	1010 TRANSPARENT 1030 BLACK 1033 BROWN	1 kg	5 kg	It is used for final shining of leather. Applied with sponge. Cures fast without remaining any trace. Gives a shiny appearance to leather upon curing. Can be used on artificial leather.
<b>LIQUID SHINES</b>	LS - 410 TRANSPARENT LS - 413 BLACK LS - 414 BROWN	1 kg	5 kg	Fast curing solvent based shines only for spray gun application. Same products have matt series too. Used for color equalization of leathers in different shades.
<b>LIQUID POLISH</b>	LP - 101 TRANSPARENT LP - 103 BLACK LP - 104 BROWN	1 kg	5 kg	It is a liquid polish that can be applied with sponge. When buffed with low speed brush, it gives a brighter and shiny appearance.
<b>PULL UP CRAZY FINISH</b>	WP - 6000 TRANSPARENT	1 kg	4 kg	Used as color stabilizer for all colors in Pull up and Crazy leathers. Gives weight and water repellent properties to leather. Applied with sponge in cleaning.
	WP - 6100 TRANSPARENT	1 kg	5 kg	Used as color stabilizer for all colors in Pull up and Crazy leathers. Gives weight and water repellent properties to leather. Applied with spray gun.

## UPPER

PRODUCT NAME	PRODUCT CODE/COLOUR	PACKING		SPECIFICATION / APPLICATION
<b>SUEDE - NUBUCK REVITALIZER</b>	2200 TRANSPARENT 2330 BLACK 2333 BROWN 2334 DARK BROWN	1 kg	5 kg	It is a revitalizing and touching material used for suede and nubuck leather. It is a dye used for stabilizing the color shade difference resulting from leather. Does not change the pile of the leather. Applied with spray gun.
<b>SUEDE - NUBUCK COLOR STABILIZERS</b>	WRW - 7134 NATURAL WRW - 7135 BLACK WRW - 7136 BROWN	1 kg	5 kg	A water based product used for stabilizing the colour shades on suede and nubuck. Applied with spray gun. Gives water repellent property. It is also produced in other colours.
	WRS - 7300 NATURAL WRS - 7301 BLACK WRS - 7302 BROWN	1 kg	5 kg	A solvent based product used for stabilizing the colour shades on suede and nubuck. Applied with spray gun. Gives water repellent property. It is also produced in other colours.
<b>ART CREAM</b>	3700 SERIES	1 kg	5 kg	Used weathering applications. Applied with sponge. Upon curing it is lightened with lightening wax and buffed. Can be manufactured in any custom colors.
<b>SHADOWING DYE</b>	5100 TAN 5101 RED BROWN 5102 BROWN 5103 DARK BROWN 5104 BLACK	1 kg	5 kg	Used for shadowing shoes. Applied with sponge or special spray gun.
<b>LEATHER FINISH / EDGE DYE</b>	4030 BLACK 4040 BROWN	1 kg	5 kg	Used as an indelible edge dye and for covering scratches in the shoe edges.
<b>PATENT LEATHER BUFFING</b>	MOD - WS	1 kg	5 kg	Used for cleaning and buffing patent leather. Applied with sponge. Buffed with a soft cloth.
<b>PATENT LEATHER CLEANING</b>	TS - 11 9400 / P	1 kg	5 kg	Used for buffing patent leathers.
<b>COLOUR CHANGE POLISHES</b>	5005 BLACK 5010 BROWN	1 kg	5 kg	Used for changing the colour of the leather to the desired colour.
<b>COLOUR CHANGE PRIMER POLISHES</b>	5500 BLACK 5540 BROWN	1 kg	5 kg	Applied with cloth buffer by rubbing. After curing, the colour changing dye can be applied by spray gun or buffer.
<b>LEATHER SOFTENER</b>	LS - 9100 TRANSPARENT	1 kg	5 kg	It is a material used for giving flexibility to hard leather. Prevents cracks that may occur in assembly. Applied with sponge on upper section leather from the skin side. Shall be applied 15 mins. before assembly.
<b>LEATHER CLEANER</b>	LC - 9900 TRANSPARENT	1 kg	5 kg	Removes stains and fingerprints on leather.
<b>UPPER CLEANER / CLEANING SOLVENT</b>	TS - 1	1 kg	5 kg	Removes undesired stains on leather.
<b>SILVER PEN ERASER</b>	KS - 9110 / S	1 kg	5 kg	Used to remove silver pen marks on artificial and natural leather.
<b>SHOETREE SEPARATOR</b>	MOD - KA	1 kg	5 kg	Facilitates removal of the upper from shoetree.
<b>RETOUCH DYES</b>	-	1 kg	5 kg	Retouch dyes for leather in custom colors are manufactured.

### EFFECT CREAMS COLOR CHART

Yellow Pearl <b>DF - 2074</b>	Mustard <b>DF - 1735</b>	Orange Pearl <b>DF - 2080</b>	Bronze <b>DF - 1742</b>
Gold Pearl <b>DF - 2848</b>	Yellow <b>DF - 1723</b>	Orange <b>DF - 54</b>	Tan <b>DF - 608</b>
Red <b>DF - 122</b>	Tan <b>DF - 892</b>	Tan <b>DF - 962</b>	Tan <b>DF - 1839</b>
Camel <b>DF - 1109</b>	Camel <b>DF - 929</b>	Khaki <b>DF - 1711</b>	Brown <b>DF - 2594</b>
Dark Brown <b>DF - 778</b>	Dark Brown <b>DF - 1842</b>	Brown <b>DF - 1457</b>	Brown <b>DF - 3133</b>
Light Brown <b>DF - 2522</b>	Red Brown <b>DF - 3132</b>	Tan <b>DF - 2299</b>	Brown <b>DF - 901</b>

### EFFECT CREAMS COLOR CHART

Red Brown <b>DF - 2571</b>	Tobacco <b>DF - 3136</b>	Brown <b>DF - 594</b>	Camel <b>DF - 1985</b>
Camel <b>DF - 1480</b>	Dark Tan <b>DF - 2238</b>	Pink Pearl <b>DF - 2851</b>	Pink <b>DF - 1713</b>
Bordeaux <b>DF - 1116</b>	Bordeaux <b>DF - 2289</b>	Bordeaux <b>DF - 1717</b>	Bordeaux <b>DF - 1516</b>
Blue <b>DF - 1712</b>	Green <b>DF - 588</b>	Green <b>DF - 1962</b>	Blue <b>DF - 1733</b>
Dark Blue <b>DF - 604</b>	Dark Blue <b>DF - 1366</b>	Grey <b>DF - 1847</b>	Dark Grey <b>DF - 1552</b>
Black <b>DF - 551</b>			

### SHADOWING DYES COLOR CHART

Silver Pearl <b>5123</b>	Neutral Pearl <b>5122</b>	White <b>5136</b>	Camel <b>5174</b>
Yellow <b>5132</b>	Gold Pearl <b>5119</b>	Orange <b>5754</b>	Orange <b>5199</b>
Bronze Pearl <b>5117</b>	Bordeaux <b>5114</b>	Red <b>5116</b>	Tan <b>5100</b>
Dark Blue <b>5142</b>	Blue <b>5115</b>	Turquoise <b>5462</b>	Purple <b>5134</b>
Fuchsia <b>5281</b>	Pink <b>5463</b>	Dark Brown <b>5103</b>	Brown <b>5102</b>
Red Brown <b>5101</b>	Black <b>5104</b>	Grey <b>5230</b>	Green <b>5113</b>



[www.rotachemical.com](http://www.rotachemical.com)





## SOLE & HEEL

PRODUCT NAME	PRODUCT CODE/COLOR	PACKING		SPECIFICATION / APPLICATION
SOLE DYE	KT - 8300 (Water Based) KT - 8330 (Solvent Based)	1 kg	5 kg	Can be manufactured in custom colors in addition to standard colors. * Custom colors are manufactured upon request.
HEEL PRIMER DYE	HS - 8000 BLACK HS - 8010 NATURAL HS - 8050 BROWN	1 kg	5 kg	Provides a water resistant base. When heel dye is applied on its top a smoother and brighter appearance is obtained.
HEEL - SIDE DYE	HD - 8200 NATURAL HD - 8250 BLACK HD - 8288 BROWN	1 kg	5 kg	It provides coverage and shine. Custom colors are manufactured upon request.
NEOLITH SOLE DYE	8100 SERIES	1 kg	5 kg	Can be manufactured in all gloss or matt colors in addition to standard colors.
NEOLITH EDGE DYE	HS - 8105 BLACK HS - 8120 BROWN	1 kg	5 kg	Enables dyeing neolith edges in desired colors. Cures quickly, does not require brushing. * Custom colors are manufactured upon request.
WELT DYE	VF - 100 TRANSPARENT VF - 106 BLACK	1 kg	5 kg	Covering, shiny and heat resistant. Water resistant. * Custom colors are manufactured upon request.
WELT SHINE	VLS - 100 TRANSPARENT	1 kg	5 kg	Solvent based welt shine. Glossy and matt options are available.

## PU, TPR, EVA SOLE FINISH

--	--	--	--	--



## LEATHER & GOODS

PRODUCT NAME	PRODUCT CODE/COLOR	PACKING		SPECIFICATION / APPLICATION
EDGE DYE	KB - 8400 BLACK KB - 8440 BROWN	1 kg	5 kg	Used for dyeing the edges of belts, bags, wallets and similar items.
EDGE FILLING DYE	KB - 8700 BLACK KB - 8740 BROWN	1 kg	5 kg	Covers leather cuts with its filling effect. It can be produced in any colour upon request.
EDGE DYE	YB - 8400 BLACK YB - 8440 BROWN	1 kg	5 kg	Used for dyeing the edges of belts, bags, wallets and similar items. * Custom colors are manufactured upon request.
FILLING PRIMER DYE	KB - 8600 / 200 TRANS- PARENT	1 kg	5 kg	Applied as a primer before dyeing the leather edges. Shiny and matt shades are available.



Rota Chemical located in Istanbul, Turkey started its business activities in the production of leather finishing chemicals in the year 1976. Starting from 2000, Rota Chemical enlarged its product range with the production of shoe finishing chemicals for shoe upper, soles and also finishing chemicals for leather goods. Besides that Rota also manufacture special & innovational shoe and leather care products for consumer markets.

Known for its researcher activity, Rota Chemical is producing special product solutions except their standard products. Our aim is to reflect the developments to our customers as soon as possible. We are developing new products in our R&D using market research analysis and according to customer demands. Our primary mission is to give the best service to our customers in terms of our ISO 9001 quality standards. We are aiming high quality products, high quality service, strong dealer and distributorship network together with our high-calibre personnel.

**[www.rotachemical.com](http://www.rotachemical.com)**



[www.rotachemical.com](http://www.rotachemical.com)

**ROTA KİMYA SANAYİ VE TİCARET A.Ş.**  
İkitelli Organize San. Bölgesi Galvano Teknik Sitesi  
A Blok No: 73 34306 Başakşehir - İstanbul / TURKEY  
Phone: +90 (212) 549 4420 Fax: +90 (212) 549 4446  
[www.rotachemical.com](http://www.rotachemical.com) [sales@rotakimya.com](mailto:sales@rotakimya.com)



**ISO 9001:2015**